

New Jersey Violent Death Reporting System

February 21, 2006

Katherine Hempstead, PhD, Director
Center for Health Statistics
Office of Injury Surveillance and Prevention







- Part of a CDC-funded surveillance system (NVDRS)
- Combines data from multiple sources
- Standard coding practices
- Specialized software
- Seventeen states currently participate
- NVDRS is incident-based
- Modeled after a project initiated by Harvard (NVISS)
- Also modeled after FARS






Scope:

- Suicides
- Homicides
- Unintentional firearm deaths
- Injury deaths of undetermined intent
- Deaths by legal intervention
- Beginning with January 1, 2003 events
- •All deaths that meet the criteria occurring in New Jersey or to New Jersey residents regardless of location









Death certificates

Report of Investigation by Medical Examiner (RIME)

Supplemental Homicide Reports (SHR)

Domestic Violence Reports

County Prosecutor files

Ballistics Reports

New Jersey Child Fatality and Near Fatality Review Board





Goal:

...to develop a detailed and comprehensive understanding of all homicides and suicides and use that understanding to aid prevention efforts.







- Located in the Office of Injury Surveillance and Prevention,
 Center for Health Statistics, NJDHSS
- Partner: The Violence Institute, UMDNJ







- 449 total homicides
- 91 Family/Intimate Partner homicides
- 60 Intimate Partner homicides
- 13 Murder/Suicides
- 10 Intimate Partner Murder/Suicides






Family/Intimate Partner homicide





















Race/ethnicity of homicide victims
















Marital status by race and ethnicity, intimate partner/family violence victims, 2003



	Whit	te	Blac	ck	Hisp	anic
	N	%	N	%	N	%
Married	9	25.0	12	30.8	5	33.3
Never married	12	33.3	23	59.0	8	53.3
Widowed	5	13.9	2	*	0	*
Divorced	10	27.8	2	*	2	*
All	36	39.6	39	42.8	15	16.5



Weapons by race/ethnicity, Family/IP homicides



Firearms	N	%	N	%	NI	0/
Firearms				/0	N	%
	10		11		5	
Sharp instrument	4		11		5	
Blunt/ personal	9		6		2	
Suffocation	5		3		2	
Other	8		8		1	

department of health and senior services

Health Statistics






	Married		Never married		Widowed	l/Divorced	All	
	N	%	N	%	N	%	N	%
Firearms	9		10		7		26	
Sharp Instrument	7		11		3		21	
Blunt/Personal	2		9		6		17	
Suffocation	2		4		4		10	
Other	6		10		1		17	
All	26		44		21		91	



Age of perpetrators of family/IP homicides








Race/ethnicity of perpetrators of family/IP homicides











- There were 55 Intimate Partner homicide incidents in 2003, resulting in 59 deaths
- 55 deaths were to intimate partners
- 4 deaths to related minor children
- In 10 incidents, (@18%), the suspect committed suicide






IP homicides – relation to suspect

Boyfriend/Girlfriend	34	
Ex-boyfriend/girlfriend	14	
Spouse	16	
Separated or divorced	5	
Incest/Family member	2	
Same sex partner	3	
Children of suspect or victim	4	
















- Average age of male victim: 40
- Average age of female victim: 37
- Range for males: 2 to 73
- Range for females: 5 to 78
- 7 victims under age 18
- 5 victims age 65 years or older



Race/ethnicity of victims by gender











- Firearms: 32%
- Sharp instruments: 23%
- Blunt/Personal: 17%
- Suffocation: 8%








- 38% of females v. 8% of males were shot
- 19% of females v. 38% of males were stabbed
- 11% of females and no males were suffocated















- Married 33%
- Single 40%
- Widowed 8%
- Divorced/Separated 17%







- Married and widowed victims most likely to be shot (35% and 40%)
- Never married victims most likely to be stabbed (29%)
- Divorced victims most likely to be killed with blunt/personal weapons (40%)







- Victim intoxicated: 40%
- Known history of domestic violence: 14%







- Will be adding variables to better measure:
 - Status of relationship i.e. "current" v. "former" partner
 - History of prior violence including restraining order
 - Other circumstances









Murder-suicide in New Jersey



There were 73 incidents of murder/suicide from 1996 to 2003

73 suicides, or **1.6%** of 4,589 suicides 89 homicides, or **3.2%** of 2,785 homicides

6.8% of suicides were women **70.8%** of homicides were women

12.4% of homicide victims were under 18 years old



Murder-Suicide in New Jersey



- 2003 rate: .36 /100,000 population, similar to national figures
- Florida believed to have nation's highest rate
- Difficulty with measurement role of NVDRS







- Intimate partner
 - Male sexual jealousy/romantic triangle
 - Older married couple
- "Familicide"
 - Male kills intimate partner and children
 - Adult child kills parents



Murder suicide among the elderly



- Increasing nationally
- Often occurs when husband in care-taking role
- Untreated depression
- "Controlling" husband
- Believed to almost never be a suicide pact
- Female often shot while asleep






Murder-suicide in New Jersey, 1996-2003

	1996	1997	1998	1999	2000	2001	2002	2003	Total
Number of incidents	11	10	12	9	4	4	10	13	73
Number of deaths	24	25	25	19	8	8	22	31	162
Multiple victim incidents	2	3	1	1	0	0	2	3	12
Intimate Partner incidents (Past or present)	9	5	8	6	2	3	7	10	50
Parent/child or child/parent incidents (any age)	0	4	2	1	1	0	2	3	13
Number of deaths (P-C), children 0-18 yrs	0	3	2	1	0	0	0	4	10
Number of incidents, suspect over 60 yrs old	0	0	3	0	1	0	1	3	8
% incidents involving firearm	90.9	90.0	83.3	66.7	100	75.0	30.0	61.5	72.6



Trend in murder-suicide, New Jersey, 1996-2003*






*Data from 1996 to 2002 from Lexus-Nexis and MCD mortality data; 2003 from NVDRS



Victim-offender relationship in murder-suicides New Jersey, 1996-2003






"The **victim** is the _____ of the **suspect**"



Median age of murder-suicide victims, New Jersey, 1996-2003








Average age differences in intimate partner murder-suicides, New Jersey, 1996-2003






Males average 5.5 years older than the female intimate partners they kill

Females average less than a year older than the male intimate partners they kill



Race and ethnicity among murder-suicide victims, New Jersey, 1996-2003








Gender relationships in murder-suicides, New Jersey, 1996-2003








Suicides in M/S incidents as compared with all suicides are more likely to be:



- Male
- Black
- Foreign-born
- Middle-aged
- Committed with firearms







	Suicide in M-S	All Suicides
Median age	43 years	44.5 years
% Male	93.2%	78.9%
% Foreign born	26.0%	18.2%
% White	60.3%	81.0%
% Black	23.3%	8.7%
% Hispanic	1.4%	6.7%
% Asian	15.1%	2.9%
% 18 and under	2.7%	3.1%
% 65 and over	11.0%	18.7%



Homicides in M/S incidents as compared with all homicides are:




Older

Also are more likely to be:

- Female
- White
- Age 65+
- Committed with firearms







	Homicide in M-S	All Homicides (excluding 9/11)		
Median age	36 years	28.5 years		
% Female	70.8%	23.8%		
% Foreign born	22.5%	21.5%		
% White	59.6%	24.9%		
% Black	25.8%	54.3%		
% Hispanic	12.4%	17.8%		
% Asian	2.2%	1.8%		
% 18 and under	11.2%	13.6%		
% 65 and over	10.1%	4.7%		



Murder-suicides in New Jersey, 1996-2003



Mechanism	M-S S	Suicide	All Suicides		All Suicides M Hom			Homicide luding 9/11)	
	N	%	N	%	N	%	N	%	
Firearm	58	79.5%	1440	31.4%	69	77.5%	1535	55.1%	
All other mechanisms	15	20.5%	2745	59.8%	20	22.5%	1250	44.9%	

Firearm Violence	Incidents	% Incidents	Death s	Deaths/ incident	
All deaths in incident by firearm	55	75.3%	124	2.25	
Homicides by firearm, suicide by other	NONE				
means Suicide by firearm, homicide by other means	3	4.1%	6	2	
No death in incident by firearm	15	20.5%	32	2.13	



Circumstances of M/S Suicides versus all suicides, New Jersey, 2003



Circumstances	M-S Suicide		All Suicides	
	N	%	N	%
Perpetrator of interpersonal violence in past month	7	53.8%	13	2.2%
Intimate partner problem	4	30.8%	122	20.4%
Crisis in past two weeks	2	15.4%	91	15.2%
History of suicide attempts	1	7.8%	99	16.5%
Left suicide note	2	15.4%	177	29.5%
Physical health problem	1	7.8%	111	18.5%
Depression	1	7.8%	198	33.1%
No known circumstances	5	38.5%	122	20.4%



Murder-suicides in New Jersey, 2003



Circumstances	M-S Ho	omicide	All Homicides		
	N	%	N	%	
Intimate partner violence-related	10	55.6%	59	13.8%	
Other homicide circumstances	1	5.6%	12	2.8%	
Argument over money or property	1	5.6%	13	3.0%	
No known circumstances	6	33.4%	144	33.6%	





Notes about these tables and figures

- Incidents were included in this presentation if the incident either occurred in New Jersey or at least one of the deaths was a New Jersey resident, regardless of location of incident.
- The incidents were found by searching newspapers using Lexus-Nexis for 1996-2002, reviewing the medical examiner data files, and using NVDRS for 2003.
- Two incidents are included in our death listing (not shown) but not in the tables. One is the case of Andrew Cunanan; while he did commit suicide after the serial murders of 5 other people, the situation is not comparable to the acts of impulsiveness otherwise included. Likewise is an incident where a woman committed suicide while in custody awaiting extradition to NJ from PA for the murder of her sister-in-law over six months before.
- Victims under the age of 18 are listed as "Child" of the suspect where applicable. If the victim is the offspring of the killer and over 18, they are listed as family member of the killer, unless otherwise noted.

